

# 产品综合选型手册

INTEGRATED PRODUCT SELECTION GUIDE

---



# 公司简介



上海天设电气有限公司是一家专业从事电气成套设备为主，在工业自动化控制领域从事工程设计，产品技术研发和自动化产品销售等业务，并承接各类工程项目以及项目改造的电气高新技术企业。

上海天设电气有限公司主要生产销售：IP67防水接线盒、铸铝接线盒、接线端子盒、按钮盒、配电箱、仿威图机柜、不锈钢机柜、IP68电缆防水接头、按钮开关等众多工控配套产品。公司以其对市场动态的深刻把握，凭借自身的锐意进取和日臻完善的管理与经营，服务于电子电气，通信，消防设备，控制配电盘，船舶，石油化工，大型工厂，沿海工厂，码头，水处理设施，环保设备等众多行业。

本公司防水接线盒拥有：防尘、防水、耐酸、耐碱、外型美观、品质稳定，良好的接地功能，完全绝缘不导电，抗撞击不变形等特点。其配件齐全，安装方便，牢固可靠，拆装方便，广泛应用于：控制箱、转接箱、拉线箱、分电箱、仪表箱、按钮开关箱、电路板专用箱等，通过不断的改进工艺，为我们的OEM客户提供优质的选择。

本公司接线盒系列产品四有大优势：

一、高防护等级：达到 IP66-IP67,IK08(抗冲击).常规状态下本公司产品可浸在水下1米处安全使用，抗冲击程度可以用金属榔头撞击而不变形、变坏。

二、领先技术：在阻燃，防腐，防爆，耐酸碱等各项指标中都达到世界领先水平。

三、尺寸齐全：作为一个专业生产电气密封箱的公司，我公司拥有控制箱系列，接线箱系列，防爆箱系列等多达1000多种型号的产品。

四、专业售后服务：我们旨在通过专家意见和合作来解决用户的问题。我们与用户一起致力于这个领域。

同时，我们的控制箱为满足客户设计方案需要，搭配了特殊开发的组件：防水电缆接头、铝轨、接线端子、温控加热器、风机、过滤网、开关按钮、指示灯、防水动力IP44、IP67工业插头、插座和熔丝座。通常这些组件都需要箱体来提供保障。


我们拥有一支稳定性强素质高的技术队伍，善于学习、敢于创新、勇于实践，使天设电气在发展高科技、实现产业化走可持续发展的道路上始终保持着旺盛的生命力。

公司秉承“为顾客创造价值、为员工创造平台、为社会创造效益”的宗旨与“尊重、信任、沟通、学习”的团队精神与管理理念，愿在真诚互信的基础上，与国内外合作者、员工一同成长，携手共创美好明天。



# 目录

■ 工程塑料盒	1
■ 端子接线盒	4
■ 玻璃纤维箱/铸铝盒	5
■ 小型金属接线盒	6
■ 挂墙式机箱	7
■ 站立式机柜	8
■ AR6000琴柜	9
■ AR9K拆装式机柜	10
■ 不锈钢机箱	11
■ 不锈钢机柜	12
■ 导轨式机柜	13
■ 产品配件	15



工程塑料盒

产品认证

P型 塑料铰链, 不锈钢锁扣

TS- \*\* P

H型 不锈钢铰链, 不锈钢锁扣


TS- \*\* H

M型 塑料螺丝

TS- \*\* M

S型 塑料螺丝

TS- \*\* S



IP67



P型 塑料铰链, 不锈钢锁扣选型表

尺寸	ABS		PC/ABS		PC		底板	
	灰色箱盖	透明箱盖	灰色箱盖	透明箱盖	灰色箱盖	透明箱盖	铁底板	塑料底板
90X120X70	TS-AGP-091207	TS-ATP-091207	TS-PGP-091207	TS-PTP-091207	TS-CGP-091208	TS-CTP-091207	0912 S	0912 P
90X120X85	TS-AGP-091208	TS-ATP-091208	TS-PGP-091208	TS-PTP-091208	TS-CGP-101507	TS-CTP-091208	0912 S	0912 P
100X150X70	TS-AGP-101507	TS-ATP-101507	TS-PGP-101507	TS-PTP-101507	TS-CGP-101508	TS-CTP-101507	1015 S	1015 P
100X150X85	TS-AGP-101508	TS-ATP-101508	TS-PGP-101508	TS-PTP-101508	TS-CGP-112107	TS-CTP-101508	1015 S	1015 P
110X210X75	TS-AGP-112107	TS-ATP-112107	TS-PGP-112107	TS-PTP-112107	TS-CGP-112110	TS-CTP-112107	1121 S	1121 P
110X210X100	TS-AGP-112110	TS-ATP-112110	TS-PGP-112110	TS-PTP-112110	TS-CGP-112607	TS-CTP-112110	1121 S	1121 P
110X260X75	TS-AGP-112607	TS-ATP-112607	TS-PGP-112607	TS-PTP-112607	TS-CGP-112610	TS-CTP-112607	1126 S	1126 P
110X260X100	TS-AGP-112610	TS-ATP-112610	TS-PGP-112610	TS-PTP-112610	TS-CGP-131508	TS-CTP-112610	1126 S	1126 P
135X155X85	TS-AGP-131508	TS-ATP-131508	TS-PGP-131508	TS-PTP-131508	TS-CGP-131808	TS-CTP-131508	1315 S	1315 P
135X185X85	TS-AGP-131808	TS-ATP-131808	TS-PGP-131808	TS-PTP-131808	TS-CGP-131810	TS-CTP-131808	1318 S	1318 P
135X185X100	TS-AGP-131810	TS-ATP-131810	TS-PGP-131810	TS-PTP-131810	TS-CGP-151509	TS-CTP-131810	1318 S	1318 P
150X150X90	TS-AGP-151509	TS-ATP-151509	TS-PGP-151509	TS-PTP-151509	TS-CGP-151512	TS-CTP-151509	1515 S	1515 P
150X150X120	TS-AGP-151512	TS-ATP-151512	TS-PGP-151512	TS-PTP-151512	TS-CGP-162110	TS-CTP-151512	1515 S	1515 P
160X210X100	TS-AGP-162110	TS-ATP-162110	TS-PGP-162110	TS-PTP-162110	TS-CGP-162113	TS-CTP-162110	1621 S	1621 P
160X210X130	TS-AGP-162113	TS-ATP-162113	TS-PGP-162113	TS-PTP-162113	TS-CGP-162610	TS-CTP-162113	1621 S	1621 P
160X260X100	TS-AGP-162610	TS-ATP-162610	TS-PGP-162610	TS-PTP-162610	TS-CGP-162613	TS-CTP-162610	1626 S	1626 P
160X260X130	TS-AGP-162613	TS-ATP-162613	TS-PGP-162613	TS-PTP-162613	TS-CGP-172211	TS-CTP-162613	1626 S	1626 P
170X220X110	TS-AGP-172211	TS-ATP-172211	TS-PGP-172211	TS-PTP-172211	TS-CGP-172711	TS-CTP-172211	1722 S	1722 P
170X270X110	TS-AGP-172711	TS-ATP-172711	TS-PGP-172711	TS-PTP-172711	TS-CGP-192810	TS-CTP-172711	1727 S	1727 P
190X280X100	TS-AGP-192810	TS-ATP-192810	TS-PGP-192810	TS-PTP-192810	TS-CGP-192814	TS-CTP-192810	1928 S	1928 P
190X280X140	TS-AGP-192814	TS-ATP-192814	TS-PGP-192814	TS-PTP-192814	TS-CGP-203013	TS-CTP-192814	1928 S	1928 P
200X300X130	TS-AGP-203013	TS-ATP-203013	TS-PGP-203013	TS-PTP-203013	TS-CGP-203015	TS-CTP-203013	2030 S	2030 P
200X300X150	TS-AGP-203015	TS-ATP-203015	TS-PGP-203015	TS-PTP-203015	TS-CGP-203018	TS-CTP-203015	2030 S	2030 P
200X300X180	TS-AGP-203018	TS-ATP-203018	TS-PGP-203018	TS-PTP-203018	TS-CGP-212110	TS-CTP-203018	2030 S	2030 P
210X210X100	TS-AGP-212110	TS-ATP-212110	TS-PGP-212110	TS-PTP-212110	TS-CGP-212113	TS-CTP-212110	2121 S	2121 P
210X210X130	TS-AGP-212113	TS-ATP-212113	TS-PGP-212113	TS-PTP-212113	TS-CGP-253515	TS-CTP-212113	2121 S	2121 P
250X350X150	TS-AGP-253515	TS-ATP-253515	TS-PGP-253515	TS-PTP-253515	TS-CGP-253518	TS-CTP-253515	2535 S	2535 P
250X350X180	TS-AGP-253518	TS-ATP-253518	TS-PGP-253518	TS-PTP-253518	TS-CGP-262613	TS-CTP-253518	2535 S	2535 P
280X280X130	TS-AGP-282813	TS-ATP-282813	TS-PGP-282813	TS-PTP-282813	TS-CGP-283813	TS-CTP-282813	2828 S	2828 P
280X380X130	TS-AGP-283813	TS-ATP-283813	TS-PGP-283813	TS-PTP-283813	TS-CGP-303015	TS-CTP-283813	2838 S	2838 P
300X300X150	TS-AGP-303015	TS-ATP-303015	TS-PGP-303015	TS-PTP-303015	TS-CGP-303018	TS-CTP-303015	3030 S	3030 P
300X300X180	TS-AGP-303018	TS-ATP-303018	TS-PGP-303018	TS-PTP-303018	TS-CGP-304012	TS-CTP-303018	3030 S	3030 P
300X400X120	TS-AGP-304012	TS-ATP-304012	TS-PGP-304012	TS-PTP-304012	TS-CGP-304015	TS-CTP-304012	3040 S	3040 P
300X400X150	TS-AGP-304015	TS-ATP-304015	TS-PGP-304015	TS-PTP-304015	TS-CGP-304018	TS-CTP-304015	3040 S	3040 P
300X400X180	TS-AGP-304018	TS-ATP-304018	TS-PGP-304018	TS-PTP-304018	TS-CGP-353515	TS-CTP-304018	3040 S	3040 P
350X450X120	TS-AGP-354512	TS-ATP-354512	TS-PGP-354512	TS-PTP-354512	TS-CGP-354516	TS-CTP-354512	3545 S	3545 P
350X450X160	TS-AGP-354516	TS-ATP-354516	TS-PGP-354516	TS-PTP-354516	TS-CGP-354520	TS-CTP-354516	3545 S	3545 P
350X450X200	TS-AGP-354520	TS-ATP-354520	TS-PGP-354520	TS-PTP-354520	TS-CGP-405016	TS-CTP-354520	3545 S	3545 P
400X500X160	TS-AGP-405016	TS-ATP-405016	TS-PGP-405016	TS-PTP-405016	TS-CGP-405020	TS-CTP-405016	4050 S	4050 P
400X500X200	TS-AGP-405020	TS-ATP-405020	TS-PGP-405020	TS-PTP-405020	TS-CGP-406018	TS-CTP-405020	4050 S	4050 P
400X600X180	TS-AGP-406018	TS-ATP-406018	TS-PGP-406018	TS-PTP-406018	TS-CGP-406023	TS-CTP-406018	4060 S	/
400X600X230	TS-AGP-406023	TS-ATP-406023	TS-PGP-406023	TS-PTP-406023	TS-CGP-091207	TS-CTP-406023	4060 S	/
530X630X185	TS-AGP-506018	TS-ATP-506018	TS-PGP-506018	TS-PTP-506018	TS-CGP-506018	TS-CTP-506018	5060 S	/
530X630X255	TS-AGP-506025	TS-ATP-506025	TS-PGP-506025	TS-PTP-506025	TS-CGP-506025	TS-CTP-506025	5060 S	/
530X730X185	TS-AGP-507018	TS-ATP-507018	TS-PGP-507018	TS-PTP-507018	TS-CGP-507018	TS-CTP-507018	5070 S	/
530X730X255	TS-AGP-507025	TS-ATP-507025	TS-PGP-507025	TS-PTP-507025	TS-CGP-507025	TS-CTP-507025	5070 S	/
630X830X185	TS-AGP-608018	TS-ATP-608018	TS-PGP-608018	TS-PTP-608018	TS-CGP-608018	TS-CTP-608018	6080 S	/
630X830X285	TS-AGP-608028	TS-ATP-608028	TS-PGP-608028	TS-PTP-608028	TS-CGP-608028	TS-CTP-608028	6080 S	/







### Terminal Block Box

尺寸 W H D	ABS 灰色箱盖	PC/ABS 灰色箱盖
55X91X43	TS-AG-4P	TS-PG-4P
50X82X43	TS-AG-4PH	TS-PG-4PH
55X91X43	TS-AG-4P-T	TS-PG-4P-T
50X70X24	TS-AG-6P	TS-PG-6P
75X97X43	TS-AG-6PH	TS-PG-6PH
55X91X43	TS-AG-6P-T	TS-PG-6P-T
75X125X43	TS-AG-10P	TS-PG-10P
100X185X70	TS-AG-15P	TS-PG-15P
100X185X70	TS-AG-15P-T	TS-PG-15P-T
100X230X70	TS-AG-20P	TS-PG-20P
160X160X70	TS-AG-20P-T	TS-PG-20P-T
160X160X70	TS-AG-20P-A	TS-PG-20P-A

### 铜镍镀层电缆接头



Model	PG7	PG7	PG9	PG9	PG11	PG11	PG13.5	PG13.5	PG16	PG16	PG19	PG21
Diameter(mm)	3-6.5	2-5	4-8	2-6	5-10	3-7	6-12	5-9	10-14	6-12	10-14	13-18
GL(mm)	7	7	8	8	8	8	8	8	9	9	9	9
GL+(mm)	10	10	10	10	10	10	15	15	15	15	15	15
Model	PG21	PG25	PG29	PG29	PG36	PG36	PG42	PG42	PG48	PG48	PG63	
Diameter(mm)	9-16	15-22	18-25	13-20	22-33	20-26	32-38	25-31	37-44	29-35	42-52	
GL(mm)	9	10	11	11	13	13	14	14	15	15	15	
GL+(mm)	15	15	15	15	15	15	20	20	20	20	20	

### 尼龙电缆接头



Model	PG7	PG9	PG11	PG13.5	PG16	PG21	PG29	PG36	PG42	PG48	PG63	
Diameter(mm)	3-6.5	4-8	5-10	6-12	10-14	13-18	18-25	22-32	30-33	34-44	42-50	
Screw length(mm)	8	8	8	9	10	11	11	13	13	13	27	
Model	M10	M12	M16	M18	M20	M25	M32	M40	M50	M63	M75	M93
Diameter(mm)	2.5-6	4.5-7.8	3-7	5-10	9-14	10-16	18-25	24-31	31-41	44-51	56-66	66-77
Screw length(mm)	8	8.5	15	15	15	15	15	20	22	25	25	25

## 玻璃纤维箱

TSP系列是新型的开关箱，它由玻璃纤维强化多元酯所制造,达到IP66、IK9等级。多元酯的特性是它本身混合30%玻璃纤维来强化，使它达到一个高电阻和机械刚度（IK9）与重量约1/3的金属箱的效果。同金属箱相比，TIP系列具有重量更轻，更适应腐蚀、潮湿的环境等优点。

### 产品认证




IP65



Ployester Enclosure

Transparent Door



Dimension			MODEL			Dimension			
W	H	D	灰色门	带玻璃门	底板	A	B	C	D
250	300	140	TIP-325	TX-325	MP-325	/	/	/	/
300	400	200	TIP-430	TX-430	MP-430	280	120	60	90
400	400	200	TIP-440	TX-440	MP-440	280	220	60	90
400	500	200	TIP-540	TX-540	MP-540	380	220	60	90
400	600	230	TIP-640	TX-640	MP-640	480	220	60	90
500	600	230	TIP-650	TX-650	MP-650	480	320	60	90
600	800	300	TIP-860	TX-860	MP-860	680	420	60	90

## 铸铝机箱

机箱：压铸铝合金，箱盖与箱体采用不锈钢螺丝紧固

防护等级：IP65/IP66

密封圈：EPDM -30°C至100°C（标准）

硅橡胶-50°C至140°C（特定）

适用温度：-50°C至100°C/140°C

表面处理：喷塑，喷砂

颜色：RAL7001(标准)

RAL7032(特殊)

RAL7035(特殊)

服务：可提供开孔，攻螺纹，成套设计等

应用：广泛应用于电子电气，通信，消防设备，控制配电盘，船舶，石油化工，大型工厂，沿海工厂，码头，水处理设施，环保设备等众多行业。



Aluminium Enclosure

MODEL	W	H	D	MODEL	W	H	D	MODEL	W	H	D
TS-AL080806	80	80	60	TS-AL161609	160	160	90	TS-AL261609	260	160	90
TS-AL101006	100	100	60	TS-AL180808	175	80	80	TS-AL271209	270	120	90
TS-AL120806	120	80	65	TS-AL181208	188	120	78	TS-AL282311	280	230	110
TS-AL121208	120	120	82	TS-AL221209	220	120	90	TS-AL332312	330	230	120
TS-AL131806	125	80	58	TS-AL232011	230	200	110	TS-AL332318	330	230	180
TS-AL141407	140	140	75	TS-AL241610	240	160	100	TS-AL361208	360	120	80
TS-AL151008	150	100	80	TS-AL250808	250	80	80	TS-AL361609	360	160	90
TS-AL161006	160	100	65	TS-AL251909	250	190	90	TS-AL402311	400	230	110




MDST Modular kit for boxes

导轨机箱



MODEL	No. of breakers	D O O R		MODEL	No. of breakers	D O O R	
		H	W			H	W
MDST43	2rows×10P	400	300	MDST75R	4rows×21P	700	500
MDST53	3rows×15P	500	400	MDST86	3rows×26P	800	600
MDST64	4rows×15P	600	400	MDST86R	4rows×26P	800	600
MDST66	3rows×26P	600	600	MDST106	6rows×26P	1000	600
MDST75	3rows×21P	700	500	MDST108	6rows×38P	1000	800



TL-G series - with gland hole

TL接线盒不带电缆盖板

材料：1.2mm冷轧钢；表面处理：热固粉末涂层 波纹饰面；颜色：RAL 7032 RAL 7035

防护等级：IP66；IK抗冲击防护：10



Model	W	H	D	Model	W	H	D
TL301512-G	300	150	120	TL503012-G	500	300	120
TL302012-G	300	200	120	TL602012-G	600	200	120
TL303012-G	300	300	120	TL603012-G	600	300	120
TL402012-G	400	200	120	TL604012-G	600	400	120
TL404012-G	400	400	120	TL802012-G	800	200	120
TL502012-G	500	200	120	TL804012-G	800	400	120

TL series - No gland hole

TL接线盒带有电缆盖板

材料：1.2mm冷轧钢；表面处理：热固粉末涂层 波纹饰面；颜色：RAL 7032 RAL 7035

防护等级：IP66；IK抗冲击防护：10



Model	W	H	D	Model	W	H	D	Model	W	H	D
TL15158	150	150	80	TL30208	300	200	80	TL502012	500	200	120
TL151512	150	150	120	TL302012	300	200	120	TL503012	500	300	120
TL201512	200	150	120	TL401512	400	150	120	TL602012	600	200	120
TL20208	200	200	80	TL40208	400	200	80	TL603012	600	300	120
TL30158	300	150	80	TL403012	400	300	120	TL802012	800	200	120
TL301512	300	150	120	TL404012	400	400	120	TL804012	800	400	120

TB series 180° hinges with lock

TB接线盒, 180°铰链+门锁安装

材料：1.2mm冷轧钢；表面处理：热固粉末涂层 波纹饰面；颜色：RAL 7032 RAL 7035

防护等级：IP66；IK抗冲击防护：10



Model	W	H	D	Model	W	H	D
TB15158	150	150	80	TB203012	200	300	120
TB15308	150	300	80	TB204012	200	400	120
TB20208	200	200	80	TB205012	200	500	120
TB20308	200	300	80	TB303012	300	300	120
TB20408	200	400	80	TB304012	300	400	120
TB151512	150	150	120	TB3040155	300	400	155
TB153012	150	300	120	TB3060155	300	600	155
TB202012	200	200	120	TB3080155	300	800	155

TBS series hinges with cover

TBS接线盒, 180°铰链+盒盖由螺丝安装

材料：1.2mm冷轧钢；表面处理：热固粉末涂层 波纹饰面；颜色：RAL 7032 RAL 7035

防护等级：IP66；IK抗冲击防护：10



Model	W	H	D	Model	W	H	D	Model	W	H	D
TBS15158	150	150	80	TBS151512	150	150	120	TBS205012	200	500	120
TBS15308	150	300	80	TBS153012	150	300	120	TBS303012	300	300	120
TBS20208	200	200	80	TBS202012	200	200	120	TBS304012	300	400	120
TBS20308	200	300	80	TBS203012	200	300	120	TBS3040155	300	400	155
TBS20408	200	400	80	TBS204012	200	400	120	TBS3060155	300	600	155

## 挂墙式机箱标准配置

标准配置： 封闭箱体;安装底板;馈进线封板;密封圈及安装附件;  
 材 料： 冷轧钢 门：1.2mm,箱体，1.2mm,底板：1.5mm;  
 高度大于800mm，箱体和门均为1.5mm，底板;2.0mm。  
 表面处理： 热固粉末涂层 波纹饰面  
 颜 色： RAL 7032 RAL 7035



## 工艺特点

- 1、安装嵌条，已开好装配孔的嵌条垂直焊接在箱门的两旁，使用M4自攻螺丝
- 2、密封圈，使用聚氨酯发泡密封胶条能够很好的保证IP等级
- 3、门最大开启角度110°
- 4、槽型箱边，防止水和灰尘进入箱体内部。
- 5、挂墙孔，箱体背面已经开好安装孔。
- 6、（单门）门可以左右互换安装。
- 7、底部封板配有密封圈，保证IP等级。
- 8、安装板也可以根据您的要求使用桔黄色平光粉末涂层。

### 挂墙式机箱单门系列

Model	W	H	D	Model	W	H	D	Model	W	H	D
ST25 315	250	300	150	ST6 820	600	800	200	ST6 830	600	800	300
ST3 415	300	400	150	ST5 725	500	700	250	ST6 1030	600	1000	300
ST25 320	250	300	200	ST6 825	600	800	250	ST8 1030	800	1000	300
ST3 420	300	400	200	ST6 1025	600	1000	250	ST6 1230	600	1200	300
ST4 520	400	500	200	ST8 1025	800	1000	250	ST8 1230	800	1200	300
ST4 620	400	600	200	ST8 1225	800	1200	250	ST6 840	600	800	400
ST5 720	500	700	200	ST5 730	500	700	300	ST8 1240	800	1200	400

### Single door



### 挂墙式机箱双门系列

Model	W	H	D	Model	W	H	D
STD8 620	800	600	200	STD12 1225	1200	1200	250
STD8 630	800	600	300	STD10 1230	1000	1200	300
STD10 620	1000	600	200	STD12 1240	1200	1200	400
STD12 630	1200	600	300	STD101430	1000	1400	300
STD10 1025	1000	1000	250	STD12 1430	1200	1400	300
STD10 1030	1000	1000	300	STD12 1440	1200	1400	400

### Double door



### 挂墙式机箱带里门系列

Model	W	H	D	Model	W	H	D
STI3 420	300	400	200	STI5 620	500	600	200
STI4 420	400	400	200	STI5 720	500	700	200
STI3 520	300	500	250	STI6 820	600	800	200
STI4 520	400	500	200	STI3 425	300	400	250
STI5 520	500	500	200	STI4 525	400	500	250
STI4 620	400	600	200	STI4 625	400	600	250

### Inner door



### 挂墙式机箱玻璃门系列

Model	W	H	D	Model	W	H	D
STP3 420	300	400	200	STP5 620	500	600	200
STP4 420	400	400	200	STP5 720	500	700	200
STP3 520	300	500	250	STP6 820	600	800	200
STP4 520	400	500	200	STP3 425	300	400	250
STP5 520	500	500	200	STP4 525	400	500	250
STP4 620	400	600	200	STP4 625	400	600	250

### Plexiglass door



### 挂墙式机箱玻璃门带里门系列

Model	W	H	D	Model	W	H	D
STIP3 420	300	400	200	STIP6 825	600	800	250
STIP4 520	400	500	200	STIP8 1025	800	1000	250
STIP4 620	400	600	200	STIP4 630	400	600	300
STIP5 720	500	700	200	STIP5 730	500	700	300
STIP4 625	400	600	250	STIP6 830	600	800	300
STIP5 720	500	700	200	STIP6 1030	600	1000	300

### Plexiglass door + Inner door



**站立式机柜概述**

1. AR9 柜架采用九折型材，前门厚度2.0mm，后门、侧门、顶盖、底框厚度1.5mm，型材厚度1.5mm，安装板厚度2.5mm；
2. AR8 柜架采用四折型材，前门厚度2.0mm，整个柜体采用1.5mm，安装板厚度2.5mm；
3. 单台 AR9 使用大概配置：安装板一块（镀锌板2.5mm），门上安装条2条（镀锌板1.2mm），前开门后背板（喷涂），深度导轨2条（1.5mm电镀白），塑料文件袋（A4纸），WA065吊环一套（4只）、安装板附件一套；
4. 单台 AR8 使用大概配置：安装板一块（镀锌板2.5mm），门上安装条2条（镀锌板1.2mm），前开门后背板（喷涂），深度导轨2条（1.5mm电镀白），塑料文件袋（A4纸），吊环一套（4只，带塑料平垫）、安装板附件一套；
5. 标准颜色RAL7032（出口型），如需其他颜色请特别说明，安装板未注明颜色全部按照标准镀锌板生产；6. 锁标准配置MS821平面锁；
7. 前门加强筋螺丝安装，其他部位无加强；
8. 机柜里面灯、吊环、并柜件、门限位器、惯性滑轮、门上安装条、深度导轨、文件袋等无标配、需要请特别说明；



AR9000单门

MODEL	W × H × D	MODEL	W × H × D	MODEL	W × H × D
AR9 146/4	600 X 1400X 400	AR9 188/5	800 X 1800X 500	AR9 208/4	800 X 2000X 400
AR9 146/6	600 X 1400X 600	AR9 188/6	800 X 1800X 600	AR9 208/5	800 X 2000X 500
AR9 146/8	600 X 1400X 800	AR9 1810/4	1000 X 1800X 400	AR9 208/6	800 X 2000X 600
AR9 148/4	800 X 1400X 400	AR9 1810/5	1000 X 1800X 500	AR9 208/8	800 X 2000X 800
AR9 148/6	800 X 1400X 600	AR9 1810/6	1000 X 1800X 600	AR9 2010/4	1000 X 2000X 400
AR9 148/8	800 X 1400X 800	AR9 203/5	300 X 2000X 500	AR9 2010/5	1000 X 2000X 500
AR9 166/6	600 X 1600X 600	AR9 203/6	300 X 2000X 600	AR9 2010/6	1000 X 2000X 600
AR9 166/8	600 X 1600X 800	AR9 203/8	300 X 2000X 800	AR9 2010/8	1000 X 2000X 800
AR9 168/6	800 X 1600X 600	AR9 204/5	400 X 2000X 500	AR9 2012/4	1200 X 2000X 400
AR9 168/8	800 X 1600X 800	AR9 204/6	400 X 2000X 600	AR9 226/8	600 X 2200X 800
AR9 186/4	600 X 1800X 400	AR9 206/4	600 X 2000X 400	AR9 228/6	800 X 2200X 600
AR9 186/5	600 X 1800X 500	AR9 206/5	600 X 2000X 500	AR9 228/8	800 X 2200X 800
AR9 186/6	600 X 1800X 600	AR9 206/6	600 X 2000X 600	AR9 2210/6	1000 X 2200X 600
AR9 186/8	600 X 1800X 800	AR9 206/8	600 X 2000X 800	AR9 2210/8	1000 X 2200X 800
AR9 188/4	800 X 1800X 400				

AR9000双门

MODEL	W × H × D	MODEL	W × H × D	MODEL	W × H × D
AR9 1810/4D	1000 X 1800X 400	AR9 2010/4D	1000 X 2000X 400	AR9 2012/6D	1200 X 2000X 600
AR9 1810/5D	1000 X 1800X 500	AR9 2010/5D	1000 X 2000X 500	AR9 2012/8D	1200 X 2000X 800
AR9 1810/6D	1000 X 1800X 600	AR9 2010/6D	1000 X 2000X 600	AR9 2210/6D	1000 X 2200X 600
AR9 1812/4D	1200 X 1800X 400	AR9 2010/8D	1000 X 2000X 800	AR9 2210/8D	1000 X 2200X 800
AR9 1812/5D	1200 X 1800X 500	AR9 2012/4D	1200 X 2000X 400	AR9 2212/6D	1200 X 2200X 600
AR9 1812/6D	1200 X 1800X 600	AR9 2012/5D	1200 X 2000X 500	AR9 2212/8D	1200 X 2200X 800

ARID 玻璃门带里门

MODEL	W	H	MODEL	W	H
ARID 126	600	1200	ARID 188	800	1800
ARID 128	800	1200	ARID 1810	1000	1800
ARID 146	600	1400	ARID 206	600	2000
ARID 148	800	1400	ARID 208	800	2000
ARID 166	600	1600	ARID 2010	1000	2000
ARID 168	800	1600	ARID 226	600	2200
ARID 186	600	1800	ARID 228	800	2200


ARPX 玻璃门机柜

MODEL	W	H	MODEL	W	H
ARPX 126	600	1200	ARPX 188	800	1800
ARPX 128	800	1200	ARPX 1810	1000	1800
ARPX 146	600	1400	ARPX 206	600	2000
ARPX 148	800	1400	ARPX 208	800	2000
ARPX 166	600	1600	ARPX 2010	1000	2000
ARPX 168	800	1600	ARPX 226	600	2200
ARPX 186	600	1800	ARPX 228	800	2200




MODEL	W	H	D	MODEL	W	H	D
AR8 1010/3D	1000	1000	300	AR8 188/5	800	1800	500
AR8 128/3	800	1200	300	AR8 188/6	800	1800	600
AR8 1210/3D	1000	1200	300	AR8 1810/4D	1000	1800	400
AR8 1212/4D	1200	1200	400	AR8 1810/5D	1000	1800	500
AR8 146/3	600	1400	300	AR8 1812/4D	1200	1800	400
AR8 146/4	600	1400	400	AR8 1812/5D	1200	1800	500
AR8 148/3	800	1400	300	AR8 1816/4D	1600	1800	400
AR8 148/4	800	1400	400	AR8 1816/5D	1600	1800	500
AR8 1410/4D	1000	1400	400	AR8 206/3	600	2000	300
AR8 1412/4D	1200	1400	400	AR8 206/4	600	2000	400
AR8 166/3	600	1600	300	AR8 206/5	600	2000	500
AR8 166/4	600	1600	400	AR8 206/6	600	2000	600
AR8 168/3	800	1600	300	AR8 208/3	800	2000	300
AR8 168/4	800	1600	400	AR8 208/4	800	2000	400
AR8 1610/3D	1000	1600	300	AR8 208/5	800	2000	500
AR8 1610/4D	1000	1600	400	AR8 208/6	800	2000	600
AR8 1612/3D	1200	1600	300	AR8 2010/4D	1000	2000	400
AR8 1612/4D	1200	1600	400	AR8 2010/5D	1000	2000	500
AR8 186/3	600	1800	300	AR8 2012/4D	1200	2000	400
AR8 186/4	600	1800	400	AR8 2012/5D	1200	2000	500
AR8 186/5	600	1800	500	AR8 2012/6D	1200	2000	600
AR8 186/6	600	1800	600	AR8 2016/4D	1600	2000	400
AR8 188/3	800	1800	300	AR8 2016/5D	1600	2000	500
AR8 188/4	800	1800	400	AR8 2016/6D	1600	2000	600

## AR6000控制台PLA 系列




MODEL	PE				D	LE			G	AE		
	H	I	J	K		E	F	A		B	C	
ALP41	370	295	460	425	200	835	120	425	600	770	400	
ALP42	370	295	460	425	200	835	120	425	800	770	400	
ALP43	370	295	460	425	200	835	120	425	1000	770	400	
ALP44	370	295	460	425	200	835	120	425	1200	770	400	
ALP45	370	295	460	425	200	835	120	425	1600	770	400	
ALP51	440	365	460	425	200	935	120	425	600	770	500	
ALP52	440	365	460	425	200	935	120	425	800	770	500	
ALP53	440	365	460	425	200	935	120	425	1000	770	500	
ALP54	440	365	460	425	200	935	120	425	1200	770	500	
ALP55	440	365	460	425	200	935	120	425	1600	770	500	

## AR6000控制台MA 系列




MODEL	ME				D	A	AE	
	L	M	N	B			C	
AM41	650	612	123	252	600	770	400	
AM42	650	612	123	252	800	770	400	
AM43	650	612	123	252	1000	770	400	
AM44	650	612	123	252	1200	770	400	
AM45	650	612	123	252	1600	770	400	
AM51	750	712	123	275	600	770	500	
AM52	750	712	123	275	800	770	500	
AM53	750	712	123	275	1000	770	500	
AM54	750	712	123	275	1200	770	500	
AM55	750	712	123	275	1600	770	500	



产品概述

- 1.立柱 ( profiles ) : 采用九折型材,型材厚度1.5mm,机柜的框架 ;
- 2.上下盖 ( top cover and base ) : 采用九折型材,型材厚度1.5mm , 机柜的上下盖。
- 3.前后门 ( front door and black door ) :采用九折型材,型材厚度2.0mm。 ;
- 4.安装底板 ( mounting plate):采用2.5mm镀锌板;
- 5.侧门 ( side panels):采用九折型材,型材厚度1.5mm;

颜色 : RAL7032 RAL7035




MODEL	SIZE(W H D)	PROFILES	TOP COVER+BASE	FRONT DOOR + BACK DOOR	FRONT DOOR	BACK DOOR	MOUNTING PLATE	SIDE PANELS
AR9 126/4K	600x1200x400	F12	TCB 64	FBD 126	FD 126	BD 126	MP 126	ARSP 124
AR9 126/8K	600x1200x800	F12	TCB 68	FBD 126	FD 126	BD 126	MP 126	ARSP 128
AR9 128/6K	800x1200x600	F12	TCB 66	FBD 128	FD 128	BD 128	MP 128	ARSP 126
AR9 146/4K	600x1400x400	F14	TCB 64	FBD 146	FD 146	BD 146	MP 146	ARSP 144
AR9 146/8K	600x1400x800	F14	TCB 68	FBD 146	FD 146	BD 146	MP 146	ARSP 148
AR9 148/6K	800x1400x600	F14	TCB 66	FBD 148	FD 148	BD 148	MP 148	ARSP 146
AR9 166/6K	600x1600x600	F16	TCB 66	FBD 166	FD 166	BD 166	MP 166	ARSP 166
AR9 168/6K	800x1600x600	F16	TCB 66	FBD 168	FD 168	BD 168	MP 168	ARSP 166
AR9 186/5K	600x1800x500	F18	TCB 65	FBD 186	FD 186	BD 186	MP 186	ARSP 185
AR9 186/8K	600x1800x800	F18	TCB 68	FBD 186	FD 186	BD 186	MP 186	ARSP 188
AR9 188/5K	800x1800x500	F18	TCB 85	FBD 188	FD 188	BD 188	MP 188	ARSP 185
AR9 1810/4K	1000x1800x400	F18	TCB 104	FBD 1810	FD 1810	BD 1810	MP 1810	ARSP 184
AR9 1810/6K	1000x1800x600	F18	TCB 106	FBD 1810	FD 1810	BD 1810	MP 1810	ARSP 186
AR9 203/6K	300x2000x600	F20	TCB 36	FBD 203	FD 203	BD 203	MP 203	ARSP 206
AR9 204/5K	400x2000x500	F20	TCB 45	FBD 204	FD 204	BD 204	MP 204	ARSP 205
AR9 206/4K	600x2000x400	F20	TCB 64	FBD 206	FD 206	BD 206	MP 206	ARSP 204
AR9 206/6K	600x2000x600	F20	TCB 66	FBD 206	FD 206	BD 206	MP 206	ARSP 206
AR9 208/4K	800x2000x400	F20	TCB 84	FBD 208	FD 208	BD 208	MP 208	ARSP 204
AR9 208/6K	800x2000x600	F20	TCB 86	FBD 208	FD 208	BD 208	MP 208	ARSP 206
AR9 2010/4K	1000x2000x400	F20	TCB 104	FBD 2010	FD 2010	BD 2010	MP 2010	ARSP 204
AR9 2010/6K	1000x2000x600	F20	TCB 106	FBD 2010	FD 2010	BD 2010	MP 2010	ARSP 206
AR9 226/6K	600x2200x600	F22	TCB 66	FBD 226	FD 226	BD 226	MP 226	ARSP 226
AR9 228/6K	800x2200x600	F22	TCB 86	FBD 228	FD 228	BD 228	MP 228	ARSP 226
AR9 2210/6K	1000x2200x600	F22	TCB 106	FBD 2210	FD 2210	BD 2210	MP 2210	ARSP 226

DOUBLE DOOR

AR9D 1810/4K	1000x1800x400	F18/D	TCB 104	FBD 1810	FD 1810	BD 1810	MP 1810	ARSP 184
AR9D 1810/6K	1000x1800x600	F18/D	TCB 106	FBD 1810	FD 1810	BD 1810	MP 1810	ARSP 186
AR9D 1812/5K	1200x1800x500	F18/D	TCB 125	FBD 1812	FD 1812	BD 1812	MP 1812	ARSP 185
AR9D 2010/5K	1000x2000x500	F20/D	TCB 105	FBD 2010	FD 2010	BD 2010	MP 2010	ARSP 205
AR9D 2010/8K	1000x2000x800	F20/D	TCB 108	FBD 2010	FD 2010	BD 2010	MP 2010	ARSP 208
AR9D 2012/5K	1200x2000x500	F20/D	TCB 125	FBD 2012	FD 2012	BD 2012	MP 2012	ARSP 205
AR9D 2012/8K	1200x2000x800	F20/D	TCB 128	FBD 2012	FD 2012	BD 2012	MP 2012	ARSP 208
AR9D 2210/8K	1000x2200x800	F22/D	TCB 108	FBD 2210	FD 2210	BD 2210	MP 2210	ARSP 228
AR9D 2212/8K	1200x2200x800	F22/D	TCB 128	FBD 2212	FD 2212	BD 2212	MP 2212	ARSP 228

STAINLESS STEEL ENCLOSURE

STX不锈钢机箱



不锈钢玻璃门

不锈钢带里门机箱

所有机体均采用12/10AISI304L不锈钢材料制成

采用钢化玻璃；

供应范围：

箱体，安装底板，进线封板及密封圈，锁及安装螺丝等。

STXP不锈钢机箱 STXI不锈钢机箱

MODEL	MODEL	W H D	No.of lock
STXP3 420	STXI3 420	300×400×200	1 OR 2
STXP4 520	STXI4 520	400×500×200	1 OR 2
STXP4 620	STXI4 620	400×600×200	1 OR 2
STXP5 725	STXI5 725	500×700×250	1 OR 2
STXP6 820	STXI6 820	600×800×200	1 OR 2
STXP6 825	STXI6 825	600×800×250	1 OR 2



Model	W H D	No.of lock
STX2-315	200×300×150	1
STX3-415	300×400×150	1
STX3-420	300×400×200	1
STX4-315	400×300×150	1
STX4-420	400×400×200	1
STX4-520	400×500×200	1
STX4-620	400×600×200	2
STX5-520	500×500×200	1
STX5-725	500×700×200	2
STX6-420	600×400×200	2

Model	W H D	No.of lock
STX6-620	600×600×200	2
STX6-625	600×600×250	2
STX6-630	600×600×300	2
STX6-820	600×800×200	2
STX6-825	600×800×250	2
STX6-830	600×800×300	2
STX6-1230	600×1200×300	2
STX8-830	800×800×300	2
STX8-1030	800×1000×300	2
STX8-1230	800×1200×300	2

Stainless Steel Terminal Box



不锈钢接线盒

所有机体均采用12/10AISI304L不锈钢材料制成

(可定制AISI316L 不锈钢)

采用不锈钢螺丝安装盖子和箱体；

供应范围：

箱体，盖子，铰链，及安装螺丝等。

PROTECTION RATINGS

-IP 66 complying with IEC EN62208; EN60529

-NEMA 4X

-impact resistance IK10 complying with IEC EN62208; EN50102.

Model	W H D
TLX15158	150×150×80
TLX151512	150×150×120
TLX201512	200×150×120
TLX20208	200×200×80
TLX30158	300×150×80
TLX301512	300×150×120

Model	W H D
TLX30208	300×200×80
TLX302012	300×200×120
TLX401512	400×150×120
TLX40208	400×200×80
TLX403012	400×300×120
TLX404012	400×400×120

Model	W H D
TLX502012	500×200×120
TLX503012	500×300×120
TLX602012	600×200×120
TLX603012	600×300×120
TLX802012	800×200×120
TLX804012	800×400×120

TLX安装地板



安装底板单独购买

MODEL	BOX DIMENSIONS		PLATE DIMENSIONS	
	W	H	W	H
SDPA-11	150	150	140	140
SDPA-22	200	200	176	170
SDPA-32	300	200	276	170
SDPA-33	300	300	276	270
SDPA-42	400	200	376	170

不锈钢落地式机柜结构特点:

骨架: 15、10 AISI304L 不锈钢材料, 骨架连接件由AISI304L 材料做成, 激光焊接。仅用8颗高足不锈钢螺丝安装骨架。

门: 20/10 AISI304L 材料 (AISI316L材料可定做) 带门加强筋

门铰链: 锌合金材料, 开门角度: 180° (不锈钢材料铰链可以定做)



不锈钢AR9X 可拆卸机柜



不锈钢AR9XP带玻璃门机柜



不锈钢AR8X 整体式机柜

不锈钢AR9X 可拆卸机柜

Model	W	H	D	No.of lock	Model	W	H	D	No.of lock
AR9X186/4	600	1800	400	1	AR9X1810/5	1000	1800	500	1
AR9X186/5	600	1800	500	1	AR9X1810/6	1000	1800	600	1
AR9X206/5	600	2000	500	1	AR9X2010/5	1000	2000	500	1
AR9X206/6	600	2000	600	1	AR9X2010/6	1000	2000	600	1
AR9X188/4	800	1800	400	1	AR9X1812/4	1200	1800	400	1
AR9X188/5	800	1800	500	1	AR9X1812/5	1200	1800	500	1
AR9X208/5	800	2000	500	1	AR9X2012/5	1200	2000	500	1
AR9X208/6	800	2000	600	1	AR9X2012/6	1200	2000	600	1

不锈钢AR9XP带玻璃门机柜

Model	W	H	D	No.of lock	Model	W	H	D	No.of lock
AR9XP186/4	600	1800	400	1	AR9XP208/5	800	2000	500	1
AR9XP186/5	600	1800	500	1	AR9XP208/6	800	2000	600	1
AR9XP206/5	600	2000	500	1	AR9XP1810/5	1000	1800	500	1
AR9XP206/6	600	2000	600	1	AR9XP1810/6	1000	1800	600	1
AR9XP188/4	800	1800	400	1	AR9XP2010/5	1000	2000	500	1
AR9XP188/5	800	1800	500	1	AR9XP2010/6	1000	2000	600	1

不锈钢AR8X 整体式机柜

Model	W	H	D	No.of lock	Model	W	H	D	No.of lock
AR8X 1010/3	1000	1000	300	1	AR8X 188/8	800	1800	800	1
AR8X 128/3	800	1200	300	1	AR8X 1810/4	1000	1800	400	1
AR8X 146/4	600	1400	400	1	AR8X 1812/5D	1200	1800	500	2
AR8X 148/3	800	1400	300	1	AR8X 1816/4D	1600	1800	400	2
AR8X 148/4	800	1400	400	1	AR8X 206/4	600	2000	400	1
AR8X 166/4	600	1600	400	1	AR8X 206/5	600	2000	500	1
AR8X 168/3	800	1600	300	1	AR8X 208/4	800	2000	400	1
AR8X 1610/3	1000	1600	300	1	AR8X 208/6	800	2000	600	1
AR8X 186/3	600	1800	300	1	AR8X 2010/4	1000	2000	400	1
AR8X 186/5	600	1800	500	1	AR8X 2010/4D	1000	2000	400	2
AR8X 188/3	800	1800	300	1	AR8X 2012/6D	1200	2000	600	2
AR8X 188/4	800	1800	400	1	AR8X 2016/4D	1600	2000	400	2



Multiple door

model	model	width	height	height 1	pcs/set		
MTP602	MT602	800	200	195	2		
MTP603	MT603		300	295			
MTP604	MT604		400	395			
MTP605	MT605		500	495			
MTP606	MT606		600	595			
MTP608	MT608		800	795			
MTP609	MT609		900	895			
MTP6010	MT6010		1000	995			
MTP802	MT802		800	200		195	2
MTP803	MT803			300		295	
MTP804	MT804	400		395			
MTP805	MT805	500		495			
MTP806	MT806	600		595			
MTP808	MT808	800		795			
MTP809	MT809	900		895			
MTP8010	MT8010	1000		995			

Manufactured from 1.5mm sheet steel complete with lock system and hinges  
 MT: without plexiglass door MTP: with plexiglass door

Clamp door

model	pcs/set	width
MT600	5	600mm
MT800	5	800mm

For multiple door in 1.5mm sheet steel with fixing accessories

Seal cover

model	W×H	pcs/set
MT006	600×100mm	4
MT008	800×100mm	4

In 1.5mm sheet steel for sealing the top & bottom of cabinets, Supply include 4pcs seal cover & its fixing accessories




Multiple door



Clamp board




Seal cover



Modular Cabinets

Rails for panels



MODEL	For cabinet height
H1400	1400mm
H1600	1600mm
H1800	1800mm
H2000	2000mm
H2200	2200mm

Flat plate



Recessed plate



Blank front panel

Blank panels Supplied with fixing accessories(screws with captice bush) pack: 1 piece



CABINET WIDTH	PANEL		MODEL
	A	B	
800	508	200	MDP602
		300	MDP603
		400	MDP604
		600	MDP606
800	708	200	MDP802
		300	MDP803
		400	MDP804
		600	MDP806

CABINET WIDTH	PANEL		MODEL
	A	B	
600	508	400	MDP604F
		600	MDP606F
800	708	400	MDP804F
		600	MDP806F





PUNCHED FRONT PANELS



**COMPONENT PANEL**

Manufactured in 1.5mm sheet steel  
 MODTLAR: Supplied complete with DINrail and fixing accessories(screws and captive bush)  
 FITTING: Supplied with hinge for left or right hand opening ,closed with captive screws provided.  
 PACKAGING: Singly with accessories



**FLUSH PANEL**

CABINET WIDTH	REF	DESCRIPTION	PCS	MODEL
600	1	PANEL	1	MDP03 102F
	2	COVER	1	MDP04 102
800	1	PANEL	1	MDP03 202F
	2	COVER	1	MDP04 202




**PANEL FOR MODULAR COMPONENTS**

CABINET WIDTH	REF	DESCRIPTION	PCS	MODEL
600	1	PANEL	1	MDP02 102F
	2	DIN RAIL	1	
	3	COVER	1	
800	1	PANEL	1	MDP02 202F
	2	DIN RAIL	1	
	3	COVER	1	



**PANEL FOR MODULAR COMPONENTS**

Manufactured in 1.5mm sheet steel.  
 Supplied complete with zinc passivate DIN rail and fixing accessories with screws and captive bush.  
 Package: singly



**FLUSH PANEL**

CABINET WIDTH	REF	DESCRIPTION	PCS	MODEL
600	PANEL 1×25P			
	1	PANEL	1	MDP02 102F
	2	DIN RAIL	1	
800	PANEL 1×36P			
	1	PANEL	1	MDP02 202F
	2	DIN RAIL	1	

**FLUSH PANEL**

CABINET WIDTH	REF	DESCRIPTION	PCS	MODEL
600	PANEL 2×25P			
	1	PANEL	1	MDP02 104F
	2	DIN RAIL	1	
800	PANEL 3×36P			
	1	PANEL	1	MDP02 204F
	2	DIN RAIL	1	

Compenents pallet



Two type: max carrying ability 50KG  
 max carrying ability 100KG  
 Material: manufactured from 1.5mm sheet steel with fixing accessories.

Max weight	W×D	50KG W/Holes	30KG W/Holes	100KG W/Holes
600	471×300	MPH 604	MPH 604N	MPH 604F
	471×400	MPH 605	MPH 605N	MPH 605F
	471×500	MPH 606	MPH 606N	MPH 606F
800	671×300	MPH 804		MPH 804F
	671×400	MPH 805		MPH 805F
	671×500	MPH 806		MPH 806F

(mm)



Rails for components pallet



MODEL	HEIGHT
H1 400	1400mm
H1 600	1600mm
H1 800	1800mm
H2000	2000mm
H2200	2200mm

LOCK





ST系列挂墙钩

WA 065 吊环

WL02 安装卡扣

WS02 安装卡扣



接地线

防雨盖



型号	面积	长度	环直径
TJ-CM6130	6	130	6.4
TJ-CM6160	6	160	6.4
TJ-CM6168	6	160	8.3
TJ-CM1025	10	250	6.4
TJ-CM2535	25	350	8.3




Model	W(mm)	D (mm)
TT1 04	400	200
TT2 04	400	250
TT1 05	500	200
TT2 05	500	250
TT1 06	600	250
TT2 06	600	300
TT2 08	800	300

门支持 WA060

小型金属接线盒底板

小型金属接线盒挂墙钩



通风板

挂墙式底板图

带有排风口的封板安装在箱体  
用于通风散热  
Color:RAL7035



ref.	L	W
GP-1	158	78
GP-2	208	89
GP-3	244	90
GP-4	359	129
GP-5	445	148
GP-6	259	79



通用底板

方孔底板

圆孔底板

WI 300 并轨吊环



WA020并轨连接件



WA010并轨连接螺栓



130°铰链



侧板

插入式螺母



Supply include: 2pcs side covers and fixing accessories. Manufactured from 1.5mm sheet steel. Paint finish: epoxy polyester powder coating.

model	ARSP 124	ARSP 128	ARSP 146	ARSP 166	ARSP 184	ARSP 186	ARSP 204	ARSP 206
height	1200	1200	1400	1600	1800	1800	2200	2200
depth	400	800	600	600	400	600	400	600

(mm)



Special designed nut use to install on ARSP20 manufactured from zinc alloy

Insert nut	Part/Bag	Model
M8	50	WA8
M8	50	WA8

冲孔导轨



Model	WHD 400	WHD 600	WHD 1000	WHD 1600	WHD 2000
length	295	495	895	1495	1895
W H D	400	600	1000	1600	2000
pcs/set	12	12	12	6	6


LOCK MS830



LOCK MS821



安装冲孔导轨



model	WD400	WD600	WW600	WW1000
	For Depth of cabinet		For width of cabinet	
dimension	400	600	600	1000
pcs/set	4	4	4	4

With 5rows of universal skeleton structions of partial assembly with 8pcs fixing screws M5×13mm

部分底板

底座

由1.5MM钢板制成



Cabinet width	WxH	pcs/set	model
600	492×333	2	MP 64
800	692×133	2	MP 82
800	692×533	2	MP 86
1000	892×333	2	MP 104
1000	892×533	2	MP 106
1200	1092×133	2	MP 122
1200	1092×333	2	MP 124
1200	1092×533	2	MP 126

由2MM钢板制成颜色:RAL6022



Model H100	PL1 45	PL1 46	PL1 65	PL1 68	PL1 85
Model H200	PL2 46	PL2 46	PL2 65	PL2 68	PL2 85
Cabinet width dimension depth	400	400	600	600	800
	500	600	500	800	500
Model H100	PL1 86	PL1 104	PL1 106	PL1 124	PL1 126
Model H200	PL2 86	PL2 104	PL2 106	PL2 124	PL2 126
Cabinet width dimension depth	800	1000	400	1200	1200
	600	400	600	400	600

塑料A4文件袋

钢板布线方案图框



Model:PP100  
Mater:ABS



Fixing on the door frame. Color: RAL 2000

model	PP400	PP500	PP600	PP800	PP900	PP1000
dimension	W	255	355	455	655	855
	H	260	260	260	260	260
	□	90	90	90	90	90

(mm)

全方面的服务

期待您的来电



联系我们  
TEL: 021-24205202 52275278  
FAX: 021-24205303  
WEB: [www.okdianqi.com](http://www.okdianqi.com)  
ADD: 上海莘庄工业区春东路508号

